

Pricing List

SKIPPER PLASMOID



300 Kg capacity

€8180

400 Kg capacity

€8680

Standard Equipment Included

1 Fastening strap for securing the load

1 Standard battery pack (lead-gel base)

1 Battery charger (220V / 24V)

Customizations Available

Color customization with your preferred RAL

€290

Customization of the loading base dimensions

€490

Payment Methods Available

20% at order confirmation, balance before shipment/collection.









Wire transfer or PayPal

Warranty

12 months on mechanical and electrical parts

6 months on the standard AGM battery

Optional Accessories

	24V 55Ah LITHIUM battery pack with relative battery charger	€1490
	Additional battery box	€490
	Wheeled base	€570
	Wheeled base (pneumatic)	€670
	Customizable aluminum Ramp 200x67x8 cm	€590
	Vehicle battery charger D/VOLTAGE CONVERTER 12V220V-150W	€235
	Accessory for doors and windows	€990
	Base with four swivel wheels	€590

Data sheet

Maximum capacity	300 400 Kg
Weight of the machine without battery	89 Kg
Dimensions	Max depth: 279 mm Overall width: 533 mm Height from the ground: 1269 mm (adjustable up to 2151 mm)
Height handle from the ground	1307 mm
Support length on crawler tracks	770 mm
Crawler tracks width	70 mm
Standard sheet metal base	Width: 397 mm Depth: 250 mm
Travel speed of 300 kg models	1 m in 7 seconds (Adjustable via proportional joystick)
Travel speed of 400 kg models	1 m in 10 seconds (Adjustable via proportional joystick)
Autonomy of the Standard AGM Battery	Approximately 750 steps (for 300 kg models) Approximately 500 steps (for 400 kg models)
Autonomy of the Premium Lithium Battery	Approximately 2000 steps (for 300 kg models) Approximately 1500 steps (for 400 kg models)
Standard AGM battery	20Ah – 24 V: 17 Kg
Premium Lithium Battery	55Ah – 24 V: 9 Kg
Maneuvering space on the landing	On the tracks: 125 cm On the wheels: 105 cm
Degree of protection	IP54

Certifications

Direttiva 2006/42 CE	EN ISO 7010:2020	EN ISO 13849-1:2015	EN 61000-6-4:2007+A1:2011
Direttiva 2014/30/UE	EN ISO 12100:2010	EN ISO 13849-2	EN ISO 3691-5:2015/A1:2020
Direttiva 2011/65/CE	EN 60204-1:2018	EN 61000-6-2:2005+AC:2005	EN 60529:1991+A1:2000+A2:2013